

Designed for you-  
Engineered for the

# World



# Meet the family

One global dispenser platform, five models to address your needs. The Wayne Helix™ fuel dispenser family is highly configurable, addressing the specific needs of users no matter their fueling demands.



## Helix 2000 Fuel Dispenser

*Compact Workhorse*

If you're working within a confined site, the Helix 2000 dispenser delivers practicality and the latest features in a small package — ideal for small service stations that want the latest in technology and usability. Available both as lane and island-oriented models.

- 1-2 grades
- 1-4 nozzles
- 40 LPM / 70 LPM / 40-70 LPM / 90 LPM / 120 LPM / 180 LPM
- Island and lane orientation
- Hose hook: 4.5m reach
- Hose mast: 3.5m
- Wayne iMeter™ and XFlo™ fuel meter technology
- Dimensions:
  - No mast: 926 (L), 600 (W), 1480 (H)
  - Mast: 926 (L), 600 (W), 2134 (H)



## Helix 5000 Fuel Dispenser

*Core of Flexibility*

The Helix 5000 dispenser has advanced capabilities and aesthetics, with greater flexibility than that of the Helix 2000 dispenser. It can handle up to four meters and up to an eight hose configuration.

- 1-4 grades (5 with blending)
- 1-4 nozzles per side (available as single or dual)
- 40 LPM / 70 LPM / 40-70 LPM / 120 LPM
- Lane orientation
- Hanging hoses: 3m reach
- Hose retraction: 4m
- iMeter and XFlo fuel meter technology
- Dimensions:
  - No Valance: 1298 (L), 600 (W), 2268 (H)
  - Valance: 1328 (L), 600 (W), 2368 (H)



## Helix 6000 Fuel Dispenser

### *Ultimate Scalability*

The Helix 6000 dispenser consolidates all the nozzles with the option to deliver up to five products, including alternative fuels, in a scalable framework that helps to optimize the dispenser size and layout for your forecourt. All hoses, hidden within the hose handling cabinet, are gathered on one side of the display area.

1-5 grades (blending available)

1-5 nozzles per side (available as single or dual)

40 LPM / 70 LPM / 40-70 LPM / 120 LPM

Lane orientation

Hanging hoses: 3.5m reach

Advanced hose retraction: 4m

iMeter and XFlo fuel meter technology

Dimensions:

XX-33: 1347 (L), 600 (W), 2050 (H)

XX-44: 1759 (L), 600 (W), 2050 (H)

XX-55: 2109 (L), 600 (W), 2050 (H)

## Helix 6000 AdBlue Fuel Dispenser

### *Commercial Success*

The Helix 6000 AdBlue dispenser moves all the features and benefits from the Helix family of fuel dispensers into a different frame. This model is available as a Standalone unit, or as a back-to-back unit. Positioning the hoses to one side of the user interface to ensure a flexible dispenser size, the Helix 6000 back-to-back dispenser unit is perfect for your truck stop applications. Commonly configured with two grades of diesel at Ultra High Flow (120LPM) and AdBlue in the one unit, the dispenser allows simultaneous filling, providing the user with a quick and efficient refuelling experience.

Standalone or combo model

1-3 grades plus AdBlue (combo model)

Lane orientation

Single and dual sides

AdBlue 40 LPM (with heating, 20 LPM)

Combo 40 LPM / 70 LPM / 40-70 LPM / 120 LPM

Advanced hose retraction: 4m

iMeter and Xflo fuel meter technology

Dimensions:


Standalone XX: 851 (L), 600 (W), 2050 (H)

XX-31 B2B AdBlue: 1919 (L), 600 (W), 2050 (H)

XX-42 B2B AdBlue: 2332 (L), 600 (W) 2050 (H)



# Optional extras



## Wayne Xflo Fuel Meter

The Xflo fuel meter prevents fuel loss by maintaining dispenser calibration accuracy over long periods of time and its efficient, hydraulic designs allows for 20% higher flow rates, enabling more cars to move through islands faster.



## Wayne Fusion™ Site Automation Server

The Fusion site automation server gives you the control you need to help reduce deployment and implementation costs. By giving you better visibility over many of your current devices with one single tool, maintenance costs are reduced, and there are fewer potential points of failure. You simply plug in the Fusion site automation server, hook up your devices, and within minutes, you're connected and in control.



## Media

Media at the pump is an end-to-end digital merchandising tool and service that enables you to conveniently reach your customers at the forecourt. The Helix fuel dispenser range of products is capable of housing a number of different media display options, from a basic advertising loop during fuelling to a third-party hosted media stream. Contact your Regional Sales Manager for further details.



## Graphics

The hydraulic door panels on the Helix fuel dispenser are bent sheet metal with no welding. They are protected with high quality paint with up to three coating layers. Customer graphics are digitally printed in-house giving our customers the opportunity to customize the door panels to enhance their brand. The printed surface is then coated to ensure protection towards UV light, resulting in long-lasting colours for a continuously great looking dispenser on site.

Dover Fueling Solutions now has an office and warehouse in Braeside, Victoria. Find us at:

**Dover Fueling Solutions**  
246A Governor Road  
Braeside, Victoria,  
3195, Australia

For all sales enquiries, please contact:

**Ludo Wilmann**  
ANZ Sales Manager  
ludo.wilmann@doverfs.com  
0439 346 182